

Package ‘Bayenet’

March 19, 2025

Type Package

Title Robust Bayesian Elastic Net

Version 0.3

Date 2025-03-19

Description As heavy-tailed error distribution and outliers in the response variable widely exist, models which are robust to data contamination are highly demanded. Here, we develop a novel robust Bayesian variable selection method with elastic net penalty. In particular, the spike-and-slab priors have been incorporated to impose sparsity. An efficient Gibbs sampler has been developed to facilitate computation. The core modules of the package have been developed in 'C++' and R.

Depends R (>= 3.5.0)

License GPL-2

Encoding UTF-8

LazyData true

LinkingTo Rcpp, RcppArmadillo

Imports Rcpp, stats, MCMCpack, base, gsl, VGAM, MASS, hbmemb, SuppDists

RoxygenNote 7.3.1

NeedsCompilation yes

Repository CRAN

Author Xi Lu [aut, cre],
Cen Wu [aut]

Maintainer Xi Lu <xilu@ksu.edu>

Date/Publication 2025-03-19 21:00:01 UTC

Contents

Bayenet-package	2
Bayenet	3
dat	5
predict.Bayenet	6

print.Bayenet	7
print.Bayenet.pred	7
print.Selection	8
Selection	9

Index	11
--------------	-----------

Bayenet-package	<i>Robust Bayesian Elastic Net</i>
-----------------	------------------------------------

Description

In this package, we provide a set of robust Bayesian variable selection methods. A Bayesian formulation of the least absolute deviation regression has been adopted to accommodate data contamination and heavy-tailed distributions in the response. The proposed method conducts a robust variable selection by accounting for structural sparsity. In particular, the spike-and-slab priors are imposed to identify important factors. In addition to the default method, users can also choose different structures (robust or non-robust) and penalty (lasso or elastic net) with or without spike-and-slab priors.

Details

`_package`

The user friendly, integrated interface **Bayenet()** allows users to flexibly choose the fitting methods they prefer. There are three arguments in **Bayenet()** that control the fitting method: `robust`: whether to use robust methods; `sparse`: whether to use the spike-and-slab priors to create sparsity; `penalty`: use lasso or elastic net as penalty. The function **Bayenet()** returns a Bayenet object that contains the posterior estimates of each coefficients. `predict.Bayenet()` and `print.Bayenet()` are implemented for Bayenet objects. `predict.Bayenet()` takes a Bayenet object and returns the predicted values for new observations.

References

- Lu, X. and Wu, C. (2025). Robust Bayesian elastic net with spike-and-slab priors.
- Lu, X., Fan, K., Ren, J., and Wu, C. (2021). Identifying Gene–Environment Interactions With Robust Marginal Bayesian Variable Selection. *Frontiers in Genetics*, 12:667074 doi:10.3389/fgene.2021.667074
- Zhou, F., Ren, J., Lu, X., Ma, S. and Wu, C. (2020). Gene–Environment Interaction: a Variable Selection Perspective. *Epistasis. Methods in Molecular Biology. Humana Press (Accepted)* <https://arxiv.org/abs/2003.02930>
- Wu, C., Cui, Y., and Ma, S. (2014). Integrative analysis of gene–environment interactions under a multi–response partially linear varying coefficient model. *Statistics in Medicine*, 33(28), 4988–4998 doi:10.1002/sim.6287
- Li, Q. and Lin, N. (2010). The Bayesian elastic net. *Bayesian Anal*, 5(1): 151-170 doi:10.1214/10BA506
- Li, Q., Xi, R. and Lin, N. (2010). The Bayesian regularized quantile regression. *Bayesian Analysis*, 5(3): 533-556 doi:10.1214/10BA521

See Also[Bayenet](#)

Bayenet	<i>fit a robust Bayesian elastic net variable selection model for genetic study.</i>
---------	--

Description

fit a robust Bayesian elastic net variable selection model for genetic study.

Usage

```
Bayenet(  
  X,  
  Y,  
  clin,  
  max.steps = 10000,  
  robust = TRUE,  
  sparse = TRUE,  
  penalty = c("lasso", "elastic net"),  
  debugging = FALSE  
)
```

Arguments

X	the matrix of predictors (genetic factors). Each row should be an observation vector.
Y	the continuous response variable.
clin	a matrix of clinical variables. Clinical variables are not subject to penalize. Clinical variables will be centered and a column of 1 will be added to the Clinical matrix as the intercept.
max.steps	the number of MCMC iterations.
robust	logical flag. If TRUE, robust methods will be used.
sparse	logical flag. If TRUE, spike-and-slab priors will be used to shrink coefficients of irrelevant covariates to zero exactly.
penalty	two choices are available. "lasso" for lasso penalty. "elastic net" for elastic net penalty.
debugging	logical flag. If TRUE, progress will be output to the console and extra information will be returned.

Details

Consider the data model described in "dat":

$$Y_i = \alpha_0 + \sum_{k=1}^q \gamma_k C_{ik} + \sum_{j=1}^p \beta_j X_{ij} + \epsilon_i,$$

where α_0 is the intercept, γ_k 's and β_j 's are the regression coefficients corresponding to effects of clinical factors and genetic variants, respectively.

When `penalty="elastic net"` (default), the elastic net penalty is adopted. If `penalty="lasso"`, the lasso penalty is used.

When `sparse=TRUE` (default), spike-and-slab priors are imposed to identify important main and interaction effects. If `sparse=FALSE`, Laplacian shrinkage will be used.

When `robust=TRUE` (default), the distribution of ϵ_i is defined as a Laplace distribution with density $f(\epsilon_i|\nu) = \frac{\nu}{2} \exp\{-\nu|\epsilon_i|\}$, ($i = 1, \dots, n$), which leads to a Bayesian formulation of LAD regression. If `robust=FALSE`, ϵ_i follows a normal distribution.

Both X and *clin* will be standardized before the generation of interaction terms to avoid the multicollinearity between main effects and interaction terms.

Please check the references for more details about the prior distributions.

Value

an object of class 'Bayenet' is returned, which is a list with component:

posterior	the posterior samples of coefficients from the MCMC.
coefficient	the estimated value of coefficients.
burn.in	the total number of burn-ins.
iterations	the total number of iterations.
design	the design matrix of all effects.

References

Lu, X. and Wu, C. (2025). Robust Bayesian elastic net with spike-and-slab priors.

See Also

[Selection](#)

Examples

```
data(dat)

max.steps=5000
fit= Bayenet(X, Y, clin, max.steps, penalty="lasso")

## coefficients of parameters
fit$coefficient
```

```
## Estimated values of main G effects
fit$coefficient$G

## Estimated values of clinical effects
fit$coefficient$clin
```

dat *simulated data for demonstrating the features of Bayenet.*

Description

Simulated gene expression data for demonstrating the features of Bayenet.

Usage

```
data("dat")
```

Format

dat consists of four components: X, Y, clin, coef.

Details

The data model for generating Y

Use subscript i to denote the i th subject. Let $(Y_i, X_i, clin_i)$ ($i = 1, \dots, n$) be independent and identically distributed random vectors. Y_i is a continuous response variable representing the cancer outcome and disease phenotype. X_i is the p -dimensional vector of genetic factors. The clinical factors is denoted as the q -dimensional vector $clin_i$. The ϵ follows some heavy-tailed distribution. Considering the following model:

$$Y_i = \alpha_0 + \sum_{k=1}^q \gamma_k C_{ik} + \sum_{j=1}^p \beta_j X_{ij} + \epsilon_i,$$

where α_0 is the intercept, γ_k 's and β_j 's are the regression coefficients corresponding to effects of clinical factors and genetic variants, respectively. Denote $\gamma = (\gamma_1, \dots, \gamma_q)^T$, $\beta = (\beta_1, \dots, \beta_p)^T$. Then model can be written as

$$Y_i = C_i \gamma + X_i \beta + \epsilon_i.$$

See Also

[Bayenet](#)

Examples

```
data(dat)
dim(X)
```

predict.Bayenet *make predictions from a Bayenet object*

Description

make predictions from a Bayenet object

Usage

```
## S3 method for class 'Bayenet'  
predict(object, X.new, clin.new, Y.new, ...)
```

Arguments

object	Bayenet object.
X.new	a matrix of new values for X at which predictions are to be made.
clin.new	a vector or matrix of new values for clin at which predictions are to be made.
Y.new	a vector of the response of new observations. If provided, the prediction error will be computed based on Y.new.
...	other predict arguments

Details

X.new must have the same number of columns as X used for fitting the model. If clin was provided when fit the model, clin.new must not be NULL, and vice versa. The predictions are made based on the posterior estimates of coefficients in the Bayenet object. Note that the effects of clinical factors are not subject to selection.

If Y.new is provided, the prediction error will be computed. For robust methods, the prediction mean absolute deviations (PMAD) will be computed. For non-robust methods, the prediction mean squared error (PMSE) will be computed.

Value

an object of class 'Bayenet.pred' is returned, which is a list with components:

error	prediction error. error is NULL is Y.new=NULL.
y.pred	predicted values of the new observations.

See Also

[Bayenet](#)

Examples

```
data(dat)
test=sample((1:nrow(X)), floor(nrow(X)/5))
fit=Bayenet(X[-test,], Y[-test], clin[-test,], max.steps=500,penalty="lasso")
predict(fit, X[test,], clin[test,], Y[test,])
```

print.Bayenet	<i>print a Bayenet object</i>
---------------	-------------------------------

Description

Print a summary of a Bayenet object

Usage

```
## S3 method for class 'Bayenet'
print(x, digits = max(3, getOption("digits") - 3), ...)
```

Arguments

x	Bayenet object.
digits	significant digits in printout.
...	other print arguments.

Value

No return value, called for side effects.

See Also

[Bayenet](#)

print.Bayenet.pred	<i>print a predict.Bayenet object</i>
--------------------	---------------------------------------

Description

Print a summary of a predict.Bayenet object

Usage

```
## S3 method for class 'Bayenet.pred'
print(x, digits = max(3, getOption("digits") - 3), ...)
```

Arguments

<code>x</code>	predict.Bayenet object.
<code>digits</code>	significant digits in printout.
<code>...</code>	other print arguments.

Value

No return value, called for side effects.

See Also

[predict.Bayenet](#)

<code>print.Selection</code>	<i>print a Selection object</i>
------------------------------	---------------------------------

Description

Print a summary of a Selection object

Usage

```
## S3 method for class 'Selection'  
print(x, digits = max(3, getOption("digits") - 3), ...)
```

Arguments

<code>x</code>	Selection object.
<code>digits</code>	significant digits in printout.
<code>...</code>	other print arguments

Value

No return value, called for side effects.

See Also

[Selection](#)

 Selection

Variable selection for a Bayenet object

Description

Variable selection for a Bayenet object

Usage

Selection(obj, sparse)

Arguments

obj	Bayenet object.
sparse	logical flag. If TRUE, spike-and-slab priors will be used to shrink coefficients of irrelevant covariates to zero exactly.

Details

For class ‘Sparse’, the inclusion probability is used to indicate the importance of predictors. Here we use a binary indicator ϕ to denote the membership of the non-spike distribution. Take the main effect of the j th genetic factor, X_j , as an example. Suppose we have collected H posterior samples from MCMC after burn-ins. The j th G factor is included in the final model at the j th MCMC iteration if the corresponding indicator is 1, i.e., $\phi_j^{(h)} = 1$. Subsequently, the posterior probability of retaining the j th genetic main effect in the final model is defined as the average of all the indicators for the j th G factor among the H posterior samples. That is, $p_j = \hat{\pi}(\phi_j = 1|y) = \frac{1}{H} \sum_{h=1}^H \phi_j^{(h)}$, $j = 1, \dots, p$. A larger posterior inclusion probability of j th indicates a stronger empirical evidence that the j th genetic main effect has a non-zero coefficient, i.e., a stronger association with the phenotypic trait. Here, we use 0.5 as a cutting-off point. If $p_j > 0.5$, then the j th genetic main effect is included in the final model. Otherwise, the j th genetic main effect is excluded in the final model. For class ‘NonSparse’, variable selection is based on 95% credible interval. Please check the references for more details about the variable selection.

Value

an object of class ‘Selection’ is returned, which is a list with components:

method	method used for identifying important effects.
effects	a list of indicators of selected effects.

References

Lu, X. and Wu, C. (2023). Bayesian quantile elastic net with spike-and-slab priors.

See Also

[Bayenet](#)

Examples

```
data(dat)
max.steps=5000
fit= Bayenet(X, Y, clin, max.steps, penalty="lasso")
selected=Selection(fit,sparse=TRUE)
selected$Main.G
```

Index

- * **datasets**

- dat, [5](#)

- * **models**

- Bayenet, [3](#)

- * **overview**

- Bayenet-package, [2](#)

Bayenet, [3](#), [3](#), [5-7](#), [9](#)

Bayenet-package, [2](#)

clin (dat), [5](#)

coef (dat), [5](#)

dat, [4](#), [5](#)

predict.Bayenet, [6](#), [8](#)

print.Bayenet, [7](#)

print.Bayenet.pred, [7](#)

print.Selection, [8](#)

Selection, [4](#), [8](#), [9](#)

X (dat), [5](#)

Y (dat), [5](#)